

Virtual Mentor

Ethics Journal of the American Medical Association
June 2005, Volume 7, Number 6

Suggested Readings June 2005

American Medical Association. Opinion 2.131 Disclosure of familial risk in genetic testing. *Code of Medical Ethics*. Available at http://www.ama-assn.org/apps/pf_new/pf_online?f_n=browse&doc=policyfiles/HnE/E-2.131.HTM&&s_t=&st_p=&nth=1&prev_pol=policyfiles/HnE/E-1.02.HTM&nxt_pol=policyfiles/HnE/E-2.01.HTM Accessed May 28, 2005.

American Medical Association: Opinion 5.05 Confidentiality. *Code of Medical Ethics*. Available online at http://www.ama-assn.org/apps/pf_new/pf_online?f_n=browse&doc=policyfiles/HnE/E-5.05.HTM&&s_t=&st_p=&nth=1&prev_pol=policyfiles/HnE/E-4.07.HTM&nxt_pol=policyfiles/HnE/E-5.01.HTM Accessed May 26, 2005.

American Psychiatric Association. *Diagnostic and Statistical Manual of Mental Disorders*. 4th ed. Washington, DC: American Psychiatric Association; 1994.

Beauchamp T, Childress J. *Principles of Biomedical Ethics*. 4th ed. New York, NY: Oxford University Press; 1994.

Beck AH. The Flexner Report and the standardization of American medical education. *JAMA*. 2004;291:2139-2140.

Bogardus ST Jr, Holmboe E, Jekel JF. Perils, pitfalls, and possibilities in talking about medical risk. *JAMA*. 1999;281:1037-1041.

Bostwick JM, Pankratz VS. Affective disorders and suicide risk: a reexamination. *Am J Psychiatry*. 2000;157:1925-1932.

Braddock CH III, Edwards KA, Hasenberg NM, Laidley TL, Levinson W. Informed decision making in outpatient practice: time to get back to basics. *JAMA*. 1999;282:2313-2320.

Bucholtz JR, Matheny SC, Pugno PA, Allen D, Bliss EB, Korin E. Task Force Report 2. Report of the Task Force on Medical Education. *Ann Fam Med*. 2004;2:S51-S64.

Centers for Medicare and Medicaid Services. Letter to the Medicare Payment Advisory Commission regarding the 2006 physician fee schedule. Available at: <http://www.cms.hhs.gov/physicians/medpac.pdf>. Accessed March 31, 2005.

Chlamydia syndromes in men. *UpToDate Online*, version 13.1. Available at: <http://patients.uptodate.com/topic.asp?file=stds/6192&=Chlamydial+infection>. Accessed on May 26, 2005.

Christie RJ, Hoffmaster CB. *Ethical Issues in Family Medicine*. New York, NY: Oxford University Press; 1986.

Congressional Budget Office. The effects of tort reform: evidence from the states. June 2004. Available at: <http://www.cbo.gov/showdoc.cfm?index=5549&sequence=0>. Accessed March 31, 2005.

Coryell W, Scheftner W, Keller M, Endicott J, Masser J, Klerman GL. The enduring psychosocial consequences of mania and depression. *Am J Psychiatry*. 1993;150:720-727.

Davis NL, Willis CE. A new metric for continuing medical education credit. *J Contin Educ Health Prof*. 2004;24:139-144.

Dietrich AJ, Sox CH, Tosteson TD, Woodruff CB. Durability of improved physician early detection of cancer after conclusion of intervention support. *Cancer Epidemiol Biomarkers Prev*. 1994;3:335-340.

Doukas DJ. Genetics providers and the family covenant: connecting individuals with their families. *Genetic Testing*. 2003;7:315-321.

Doukas DJ, Berg JW. Genetic testing and the family covenant. *AJOB*. 2001;1(3):2-10.

Doukas DJ, Feters MD, Ruffin MT, McCullough LB. Ethical considerations in the provision of controversial screening tests. *Arch Fam Med*. 1997;6:486-490.

Doukas DJ. Autonomy and beneficence in the family: describing the family covenant. *J Clin Ethics*. 1991;2:145-148.

Duane M, Dovey S, Klein L, Green LA. Follow-up on family practice residents' perspectives on length and content of training. *J Am Board Fam Pract*. 2004;17:377-383.

Duane M, Green LA, Dovey S, Lai S, Graham R, Fryer GE. Length and content of family practice residency training. *J Amer Board Fam Prac*. 2002;15:201-208.

Eggle S, Tzelepis A. Relational control in difficult physician-patient encounters: negotiating treatment for pain. *J Health Commun*. 2001;6:323-333.

Fields K. More on the 4-year FM residency program. *Fam Med*. 2005;37:8.

- Fisher R, Ury W, Patton B. *Getting to YES - Negotiating without Giving In*. 2nd ed. New York, NY: Penguin; 1991.
- Fryer G, Green L, Dovey S, Phillips R Jr. The United States relies on family physicians unlike any other specialty. *Am Fam Physician*. 2001;63:1669.
- Future of Family Medicine Project Leadership Committee. The Future of Family Medicine: a collaborative project of the family medicine community. *Ann Fam Med*. 2004;2(Suppl 1):S3-S32.
- Future of Family Medicine. Available at: www.futurefamilymed.org. Accessed January 28, 2005.
- Gabbard GO, Nadelson C. Professional boundaries in the physician-patient relationship. *JAMA*. 1995;273:1445-1449.
- Galazka SS, Zweig S, Young P. A progress report on accelerated residency programs in family practice. *Acad Med*. 1996;71:1253-1255.
- Grol R. Changing physicians' competence and performance: finding the balance between the individual and the organization. *J Contin Educ Health Prof*. 2002;22:244-251.
- Hallenbeck J. A Dying patient, like me. *Am Fam Physician*. 2000;62:888-890.
- Harris RP, O'Malley MS, Fletcher SW, Knight BP. Prompting physicians for preventive procedures: a five-year study of manual and computer reminders. *Am J Prev Med*. 1990;6:145-152.
- Hillman AL, Ripley K, Goldfarb N, Nuamah I, Weiner J, Lusk E. Physician financial incentives and feedback: failure to increase cancer screening in Medicaid managed care. *Am J Public Health*. 1998;88:1699-1701.
- Hirschfeld RM, Keller MB, Panico S, et al. The National Depressive and Manic-Depressive Association Consensus Statement on the Undertreatment of Depression. *JAMA*. 1997;277:333-340.
- Hirschfeld RM, Montgomery SA, Keller MB, et al. Social functioning in depression: a review. *J Clin Psychiatry*. 2000;61:268-275.
- Iseron K, Sanders A, Mathieu D, eds. *Ethics in Emergency Medicine*. 2nd ed. Tucson, Ariz: Galen Press; 1996.
- Jaen CR, Stange KC, Nutting PA. Competing demands of primary care: a model for the delivery of clinical preventive services. *J Fam Pract*. 1994;38:166-171.

Judd LL, Akiskal HS, Zeller PJ, et al. Psychosocial disability during the long-term course of unipolar major depressive disorder. *Arch Gen Psychiatry*. 2000;57:375-380.

Judd LL, Paulus MP, Wells KB, Rapaport MH. Socioeconomic burden of subsyndromal depressive symptoms and major depression in a sample of the general population. *Am J Psychiatry*. 1996;153:1411-1417.

Kessler RC, Berglund P, Demler O, et al. The epidemiology of major depressive disorder: results from the National Comorbidity Survey Replication (NCS-R). *JAMA*. 2003;289:3095-3105.

Krugman P. Passing the buck. *New York Times*. April 22, 2005: A23.

Kupfer DJ. Long-term treatment of depression. *J Clin Psychiatry*. 1991;52:28-34.

LeBlang TR. Informed consent and disclosure in the physician-patient relationship: expanding obligations for physicians in the United States. *Med Law*. 1995;14:429-444.

Lewis MA, Tamparo CD. *Medical Law, Ethics, and Bioethics for Ambulatory Care*. 4th ed. Philadelphia, Pa: F. A. Davis; 1998.

Lo B. *Resolving Ethical Dilemmas: A Guide for Clinicians*. Baltimore, Md: Williams & Wilkins; 1995.

Malloy v Meier, 629 NW2d 711 (Minn 2004).

McPhee SJ, Bird JA, Fordham D, Rodnick JE, Osborn EH. Promoting cancer prevention activities by primary care physicians. *JAMA*. 1991;266:538-544.

Munro v Regents of the U. of Calif, 215 Cal App 3d 977 (1989).

Murray CJ, Lopez AD. Evidence-based health policy—lessons from the Global Burden of Disease Study. *Science*. 1996;274:740-743.

Neher JO, Gordon KC, Meyer B, Stevens N. A five-step "microskills" model of clinical teaching. *J Am Board Fam Pract*. 1992;5:419-424.

Pagnin D, de Queiroz V, Pini S, Cassano GB. Efficacy of ECT in depression: a meta-analytic review. *J ECT*. 2004;20:13-20.

Pate v Threlkel, 661 So 2d 278 (Fla 1995).

Petrany SM, Crespo R. The accelerated residency program: the Marshall University family practice 9-year experience. *Fam Med*. 2002;34:669-672.

Quill TE. Recognizing and adjusting to barriers in doctor-patient communication. *Ann Intern Med*. 1989;111:51-57.

Renquist W. *Vaco v Quill*. In: Battin M, Rhodes R, Silver A, eds. *Physician Assisted Suicide*. New York, NY: Routledge; 1998:423-430.

Ringdahl E, Delzell J. A Residency Program Graduate Survey: Interesting Trends in Scope of Practice. 38th STFM Annual Spring Conference, Society of Teachers of Family Medicine. New Orleans, La., May 3, 2005.

Rodning CB. Coping with ambiguity and uncertainty in patient-physician relationships: III. Negotiation. *J Med Humanit*. 1992;13:211-222.

Rourke JT, Smith LF, Brown JB. Patients, friends, and relationship boundaries. *Can Fam Physician*. 1993;39:2557-2564.

Ruffin MT, Lancaster WD. Clinical models of chemoprevention for cervical cancer. *Hematol Oncol Clin North Am*. 1998;12:1115-1134, viii-ix.

Safer v Estate of Pack, 677 A2d 1188 (NJ Supp 1996).

Sharp L, Lipsky M. Screening for depression across the lifespan: a review of measures for use in the primary care settings. *Amer Fam Phys*. 2002;66:1001-1009.

Shi L. Primary care, specialty care, and life chances. *Int J Health Serv*. 1994;24:431-458.

Silverman ME, Murry JT, Bryan CS, eds. *The Quotable Osler*. Philadelphia, Pa: The American College of Physicians; 2003.

Smith LG, Humphrey H, Bordley DR. The future of resident's education in internal medicine. *Am J Med*. 2004;116:648-650.

Spann SJ. Report on financing the new model of family medicine. *Ann Fam Med*. 2004;6:S1-S21.

Stageman JH, Bowman RC, Harrison JD. An accelerated rural training program. *J Am Board Fam Pract*. 2003;16:124-130.

Studdert DM, Mello MM, Brennan TA. Medical practice. *N Engl J Med*. 2004;350:283-292.

Swartz HA, Markowitz JC. Time-limited psychotherapy. In: Tasman A, Kay J, Lieberman JA, eds. *Psychiatry*. Vol 2. Philadelphia, Pa: WB Saunders; 1997:1405-1417.

Tarasoff v Regents of University of Calif, 551 P2d 334 (1976).

The Future of General Internal Medicine. Available at: www.sgim.org/futureofGIMreport.cfm. Accessed January 28,2005.

US Department of Health and Human Services. Healthy People 2000 National Health Promotion and Disease Prevention Objectives. Website Government report. Available at:
http://www.in.gov/isdh/publications/oralhealthsurvey_94/objectives.htm.

US Preventive Services Task Force. *Guide to Clinical Preventive Services*. Baltimore, Md: Williams and Wilkins; 1996.

Van Harrison R. Systems-based framework for continuing medical education and improvements in translating new knowledge into physicians' practices. *J Contin Educ Health Prof*. 2004;24(Suppl 1):S50-S62.

Weissman MM, Bland RC, Canino GJ, et al. Cross-national epidemiology of major depression and bipolar disorder. *JAMA*. 1996;276:293-299.

Weissman MM, Warner V, Wickramaratne P, Moreau D, Olfson M. Offspring of depressed parents: 10 years later. *Arch Gen Psychiatry*. 1997;54:932-940.

Yarnall KS, Pollak KI, Ostbye T, Krause KM, Michener JL. Primary care: Is there enough time for prevention? *Am J Public Health*. 2003;93:635-641.

Zung WW, Broadhead WE, Roth ME. Prevalence of depressive symptoms in primary care. *J Fam Pract*. 1993;37:337-344.

Zweifler J. Why we should reduce family practice training to two years. *Acad Med*. 2003;78:885-887.

The viewpoints expressed on this site are those of the authors and do not necessarily reflect the views and policies of the AMA.

Copyright 2005 American Medical Association. All rights reserved.