

## Virtual Mentor

American Medical Association Journal of Ethics  
January 2008, Volume 10, Number 1: 63-75.

### Suggested Readings and Resources January 2008

Acello B. Facing fears about opioid addiction. *Nursing*. 2000;30(5):72.

Alvarez DJ, Rockwell PG. Trigger points: diagnosis and management. *Am Fam Physician*. 2002;65(4):653-660.

American Academy of Pain Medicine, the American Pain Society, and the American Society of Addiction Medicine. *Definitions Related to the Use of Opioids for the Treatment of Pain*. <http://www.ampainsoc.org/advocacy/opioids2.htm>. Accessed November 10, 2007.

American College Obstetrics and Gynecology (ACOG) Committee on Ethics. ACOG Committee Opinion. Number 294, May 2004. At-risk drinking and illicit drug use: ethical issues in obstetric and gynecologic practice. *Obstet Gynecol*. 2004;103(5 Pt 1):1021-1031.

American Medical Association. Council on Medical Education. Report 11 of the Council of Medical Education. The status of education in substance use disorders in America's medical schools and residency programs. Chicago, IL: American Medical Association; 2007. [www.ama-assn.org/ama1/pub/upload/mm/467/cme11a07.doc](http://www.ama-assn.org/ama1/pub/upload/mm/467/cme11a07.doc). Accessed December 13, 2007.

Amesty SC. Barriers to physical activity in the Hispanic community. *J Public Health Pol*. 2003;24(1):41-58.

Anderson CA, Bushman BJ. Effects of violent games on aggressive behavior, aggressive cognition, aggressive affect, physiological arousal and prosocial behavior: a meta-analytic review of the scientific literature. *Psychol Sci*. 2001;12(5):353-359.

Andrews M. America's best health plans: desperate to control healthcare costs, employers are rolling out wellness programs with teeth. *U.S. News & World Report*. October 25, 2007. <http://health.usnews.com/articles/health/health-plans/2007/10/25/americas-best-health-plans.html?PageNr=1>. Accessed November 15, 2007.

Arnold LM. Biology and therapy of fibromyalgia. New therapies in fibromyalgia. *Arthritis Res Ther*. 2006;8(4):212.

Arnold LM, Rosen A, Pritchett YL, et al. A randomized, double-blind, placebo-controlled trial of duloxetine in the treatment of women with fibromyalgia with or without major depressive disorder. *Pain*. 2005;119(1-3):5-15.

Bang L, Mao AR. Video game controversies. *AACAP News*. 2007;38(5):246-248.

Barton C. Evaluation and treatment of headache patients in the emergency department; a survey. *Headache*. 1994;34(2):91-94.

Baruch JM. Doctor versus patient: pain mismanagement in the ED. *Atrium*. 2007;Summer:10.

Bennett R, Nelson D. Cognitive behavioral therapy for fibromyalgia. *Nat Clin Pract Rheumatol*. 2006;2(8):416-424.

Bennett RM, Schein J, Kosinski MR, Hewitt DJ, Jordan DM, Rosenthal NR. Impact of fibromyalgia pain on health-related quality of life before and after treatment with tramadol/acetaminophen. *Arthritis Rheum*. 2005;53(4):519-527.

Bird SB, Dickson EW. Clinically significant changes in pain along the visual analog scale. *Ann Emerg Med*. 2001;38(6):639-643.

Bota RG. What we know about ourselves: changing attitudes about treating patients with substance use disorders. *South Med J*. 2006;99(1): 11.

Breitbart W, Passik S, McDonald MV, et al. Patient-related barriers to pain management in ambulatory AIDS patients. *Pain*. 1998;76(1-2):9-16.

Brody M. Internet addictions. *AACAP News*. 2000;31(5):213-215.

Burros M, Warner M. Bottlers agree to a school ban on sweet drinks. *New York Times*. May 4, 2006.

Busch AJ, Barber KA, Overend TJ, Peloso PM, Schachter CV. Exercise for treating fibromyalgia syndrome. *Cochrane Database Syst Rev*. 2007;17(4):CD003786.

Carreyrou J. Narcotic 'lollipop' is big seller despite FDA curbs. *Wall Street Journal*. November 3, 2006. <http://www.post-gazette.com/pg/06307/735399-114.stm>. Accessed December 7, 2007.

Center for Reproductive Rights. *The Center's Cases: Pregnant Women's Rights*. [http://www.reproductiverights.org/crt\\_preg\\_ferguson.html](http://www.reproductiverights.org/crt_preg_ferguson.html). Accessed November 27, 2007.

Center on Addiction and Substance Abuse at Columbia University. *Missed Opportunity: National Survey of Primary Care Physicians and Patients on*

*Substance Abuse*. New York: National Center on Addiction and Substance Abuse at Columbia University; 2000.

<http://www.casacolumbia.org/Absolutenm/articlefiles/29109.pdf>. Accessed December 12, 2007.

Chappel D, Eatough V, Davies MNO, Griffiths MD. Everquest—it's just a computer game right? An interpretative phenomenological analysis of online gaming addiction. *International Journal of Mental Health and Addiction*. 2006;4(3):205-216.

Charlton JP. A factor-analytic investigation of computer "addiction" and engagement. *Br J Psychol*. 2002;93(Pt 3):329-344.

Cherney NI, Catane R. Professional negligence in the management of cancer pain. A case for urgent reforms. *Cancer*. 1995;76(11):2181-2185.

Chossis I, Lane C, Gache P, et al. Effect of training on primary care residents' performance in brief alcohol intervention: a randomized controlled trial. *J Gen Intern Med*. 2007;22(8):1144-1149.

Clauw DJ, Crofford LJ. Chronic widespread pain and fibromyalgia: what we know, and what we need to know. *Best Pract Res Clin Rheumatol*. 2003;17(4):685-701.

Cleeland CS. Undertreatment of cancer pain in elderly patients. *JAMA*. 1998;279(23):1914-1915.

Cleeland CS, Gonin R, Baez L, Loehrer P, Pandya KJ. Pain and treatment of pain in minority patients with cancer. The Eastern Cooperative Oncology Group Minority Outpatient Pain Study. *Ann Intern Med*. 1997;127(9):813-816.

Cleeland CS, Gonin R, Hatfield AK, et al. Pain and its treatment in outpatients with metastatic cancer. *N Engl J Med*. 1994;330(9):592-596.

Committee to Identify Strategies to Raise the Profile of Substance Abuse and Alcoholism Research; Institute of Medicine. *Dispelling the Myths about Addiction: Strategies to Increase Understanding and Strengthen Research*. Washington, DC: National Academies Press; 1997.

Cook DB, Lange G, Ciccone DS, Liu WC, Steffener J, Natelson BH. Functional imaging of pain in patients with primary fibromyalgia. *J Rheumatol*. 2004;31(2):364-378.

Cooper CL. Pregnant and punished. *Planned Parenthood*. <http://www.plannedparenthood.org/news-articles-press/politics-policy-issues/public-affairs/pregnant-punished-14792.htm>. Accessed November 27, 2007.

Cordell WH, Keene KK, Giles BK, Jones JB, Jones JH, Brizendine EJ. The high prevalence of pain in emergency medical care. *Am J Emerg Med.* 2002;20(3):165-169.

Crofford LJ, Rowbotham MC, Mease PJ, et al. Pregabalin for the treatment of fibromyalgia syndrome: results of a randomized, double-blind, placebo-controlled trial. *Arthritis Rheum.* 2005;52(4):1264-1273.

Cuff PA, Vanselow N, eds. *Improving Medical Education. Enhancing the Behavioral and Social Science Content of Medical School Curricula.* Washington, DC: National Academies Press; 2007.

D'Amico EJ, Paddock SM, Burnam A, Kung FY. Identification of and guidance for problem drinking by general medical providers: results from a national survey. *Med Care.* 2005;43(3):229-236.

Dalrymple T. *Romancing Opiates: Pharmacological Lies and the Addiction Bureaucracy.* New York, NY: Encounter Books; 2006.

DeJong W. The stigma of obesity: the consequences of naïve assumptions concerning the causes of physical deviance. *J Health Soc Beh.* 1980;21(1):75-87.

Dunn C. Brief motivational interviewing interventions targeting substance abuse in the acute medical care setting. *Semin Clin Neuropsychiatry.* 2003;8(3):188-196.

Entertainment and Software Association. *2005 Essential Facts About the Computer and Video Game Industry.* Washington, DC: The Entertainment and Software Association; 2006. <http://www.theesa.com/files/2005EssentialFacts.pdf>. Accessed November 12, 2007.

Fackler M. In Korea, a boot camp cure for web obsession. *New York Times.* November 18, 2007.

*Ferguson v City of Charleston*, 532 US 67 (2001).

Ferraro KF, Kelley-Moore JA. Cumulative disadvantage and health: long-term consequences of obesity? *Am Sociol Rev.* 2003;68(5):707-729.

Fiellen DA, Butler R, D'Onofrio G, Brown RL, O'Connor PG. The physician's role in caring for patients with substance use disorders: implications for medical education and training. In: *Project Mainstream: Strategic Plan for Interdisciplinary Faculty Development: Arming the Nation's Health Professional Workforce for a New Approach To Substance Use Disorders: Part II. Discipline-Specific Recommendations for Faculty Development.* Providence, RI: Association for Medical Education and Research in Substance Abuse; 2002.

Fleming MF, Mundt MP, French MT, Manwell LB, Stauffacher EA, Barry KL. Brief physician advice for problem drinkers: long-term efficacy and benefit-cost analysis. *Alcohol Clin Exp Res*. 2002;26(1):36-43.

Gallagher EJ, Liebman M, Bijur PE. Prospective validation of clinically important changes in pain severity measured on a visual analog scale. *Ann Emerg Med*. 2001;38(6):633-638.

Gentilello LM, Ebel BE, Wickizer TM, Salkever DS, Rivara FP. Alcohol interventions for trauma patients treated in emergency departments and hospitals: a cost benefit analysis. *Ann Surg*. 2005;241(4):541-550.

Gentilello LM, Rivara FP, Donovan DM. Alcohol interventions in a trauma center as a means of reducing the risk of injury recurrence. *Ann Surg*. 1999;230(4):473-483.

Glajchen M. Chronic pain: treatment barriers and strategies for clinical practice. *J Am Board Fam Pract*. 2001;14(3):211-218.

Gold HS, Moellering RC. Antimicrobial-drug resistance. *N Engl J Med*. 1996;335(19):1445-1453.

Gourlay DL, Heit HA, Almahrezi A. Universal precautions in pain medicine: a rational approach to the treatment of chronic pain. *Pain Med*. 2005;6(2):107-112.

Gracely RH, Petzke F, Wolf JM, Clauw DJ. Functional magnetic resonance imaging evidence of augmented pain processing in fibromyalgia. *Arthritis Rheum*. 2002;46(5):1333-1343.

Griffiths MD. Internet "addiction": an issue for clinical psychology? *Clinical Psychology Forum*. 1996;97:32-36.

Griffiths MD, Daves MNO. Does video game addiction exist? In: Raessens J, Goldstein J, eds. *Handbook of Computer Game Studies*. Cambridge, MA: MIT Press; 2005:361-369.

Griffiths MD, Hunt N. Dependence on computer games by adolescents. *Psychol Rep*. 1998;82(2):475-480.

Grusser SM, Thalemann R, Griffiths MD. Excessive computer game playing: evidence for addiction and aggression? *Cyberpsychol Behav*. 2007;10(2):290-292.

Guru V, Dubinsky I. The patient vs. caregiver perception of acute pain in the emergency department. *J Emerg Med*. 2000;18(1):7-12.

Ha JH, Kim SY, Bae SC, et al. Depression and Internet addiction in adolescents. *Psychopathology*. 2007;40(6):424-430.

Haddad A. Ethics in action. The postop orders for a patient who is also a substance abuser. *RN*. 2000;63(1):21-24.

Haddad A. Ethics in action. What would you do? A doctor admits a female patient with acute lower back pain and orders only normal saline injections. *RN*. 1993;56(3):21, 23-24.

Haddad A. Ethics in action. Your cancer patient's pain. *RN*. 1997;60(11):21-22, 24.

Hall W. Avoiding potential misuses of addiction brain science. *Addiction*. 2006;101(11):1530.

Hancock CM, Burrow MA. OxyContin use and abuse. *Clin J Oncol Nursing*. 2002;6(2):109-110.

Hanson GR, Li TK. Public health implications of excessive alcohol consumption. *JAMA*. 2003;289(8):1031-1032.

Harris L. Drug addiction and the open society. *The New Atlantis*. 2007;17:79-94. <http://www.thenewatlantis.com/archive/17/harris.htm>. Accessed November 20, 2007.

Harris LH, Paltrow L. The status of pregnant women and fetuses in US criminal law. *JAMA*. 2003;289(13):1697-1699.

Hasin DS, Hatzenbueler M, Smith S, Grant BF. Co-occurring DSM-IV drug abuse in DSM-IV drug dependence: results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Drug Alcohol Depend*. 2005;80(1):117-123.

Hays L, Kirsh KL, Passik SD. Seeking drug treatment for Oxycontin abuse: a chart review of consecutive admissions to a substance abuse treatment facility in the bluegrass region of Kentucky. *J Natl Compr Cancer Network*. 2003;1(3):423-428.

Higginbotham A. Doctor feelgood. *The Observer*. August 11, 2002. <http://observer.guardian.co.uk/magazine/story/0,11913,772041,00.html>. Accessed January 8, 2007.

Hojsted J, Sjogren P. Addiction to opioids in chronic pain patients: a literature review. *Eur J Pain*. 2007;11(5):490-518.

Holman AJ, Myers RR. A randomized, double-blind, placebo-controlled trial of pramipexole, a dopamine agonist, in patients with fibromyalgia receiving concomitant medications. *Arthritis Rheum*. 2005;52(8):2495-2505.

Hung DY, Rundall TG, Tallia AF, Cohen DJ, Halpin HA, Crabtree BF. Rethinking prevention in primary care: applying the chronic care model to address health risk behaviors. *Milbank Q*. 2007;85(1):69-91.

International Association for the Study of Pain (IASP) Subcommittee on Taxonomy of Pain Terms. *Pain*. 1979;6(3):249.

Johnson SH. Relieving unnecessary treatable pain for the sake of human dignity. *J Law Med Ethics*. 2001;29(Spring):11-12.

Joint Commission on Accreditation of Healthcare Organizations. JCAHO standards. <http://www.jcaho.org/standard/pm.html>. Accessed December 13, 2007.

Kaartinen K, Lammi K, Hypen M, Nenonen M, Hanninen O, Rauma AL. Vegan diet alleviates fibromyalgia symptoms. *Scand J Rheumatol*. 2000;29(5):308-313.

Kaner EF, Lock CA, McAvoy BR, Heather N, Gilvarry E. A RCT of three training and support strategies to encourage implementation of screening and brief alcohol intervention by general practitioners. *Br J Gen Pract*. 1999;49(446):699-703.

Katz N. Opioids: after thousands of years, still getting to know you. *Clin J Pain*. 2007;23(4):303-306.

Koob GF, Le Moal M. Drug abuse: hedonic homeostatic dysregulation. *Science*. 1997;278(5335):52-58.

Kuchinad A, Schweinhardt P, Seminowicz DA, Wood PB, Chizh BA, Bushnell MC. Accelerated brain gray matter loss in fibromyalgia patients: premature aging of the brain? *J Neurosci*. 2007;27(15):4004-4007.

Kumanyika S, Grier S. Targeting interventions for ethnic and low-income populations. *Future Children*. 2006;16(1):187-207.

LaFrance AB. Tobacco litigation: smoke, mirrors and public policy. *Am J Law Med*. 2000;26(2-3):187-203.

Larson AA, Giovengo SL, Russell IJ, Michalek JE. Changes in the concentrations of amino acids in the cerebrospinal fluid that correlate with pain in patients with fibromyalgia: implications for nitric oxide pathways. *Pain*. 2000;87(2):201-211.

Lawson K. Tricyclic antidepressants and fibromyalgia: what is the mechanism of action? *Expert Opin Investig Drugs*. 2002;11(10):1437-1445.

Leape LL. Unnecessary surgery. *Annu Rev Public Health*. 1992;13:363-383.

Liaison Committee on Medical Education. *Part 2: Annual Medical School Questionnaire for 1998-1999*. Chicago, IL: The Liaison Committee on Medical Education; 1999.

Lindberg M, Vergara C, Wild-Wesley R, Gruman C. Physicians-in-training attitudes toward caring for and working with patients with alcohol and drug abuse diagnoses. *South Med J*. 2006;99(1): 28-35.

Marks RM, Sachar EJ. Undertreatment of medical inpatients with narcotic analgesics. *Ann Intern Med*. 1973;78(2):173-181.

McCaig LF, Hughes JM. Trends in antimicrobial drug prescribing among office-based physicians in the United States. *JAMA*. 1995;273(3):214-219.

McDaniel PA, Malone RE. Understanding Philip Morris' pursuit of US government regulation of tobacco. *Tob Control*. 2005;14(6):193-200.

McGregor, J. Sweat more, pay less. *Business Week*. November 5, 2007. [http://www.businessweek.com/magazine/content/07\\_45/b4057083.htm](http://www.businessweek.com/magazine/content/07_45/b4057083.htm). Accessed November 15, 2007.

McLean SA, Williams DA, Stein PK, et al. Cerebrospinal fluid corticotropin-releasing factor concentration is associated with pain but not fatigue symptoms in patients with fibromyalgia. *Neuropsychopharmacology*. 2006;31(12):2776-2782.

Mease P. Fibromyalgia syndrome: review of clinical presentation, pathogenesis, outcome measures, and treatment. *J Rheumatol Suppl*. 2005;75:6-21.

Mertens JR, Weisner C, Ray GT, Fireman B, Walsh K. Hazardous drinkers and drug users in HMO primary care: prevalence, medical conditions, and costs. *Alcohol Clin Exp Res*. 2005;29(6):989-998.

Miller WR, Rollnick S. *Motivational Interviewing: Preparing People for Change*. 2nd ed. New York, NY: The Guilford Press; 2002.

Moldofsky H, Scarisbrick P, England R, Smythe H. Musculoskeletal symptoms and non-REM sleep disturbance in patients with "fibrositis syndrome" and healthy subjects. *Psychosom Med*. 1975;37(4):341-351.

Nestle M. *Food Politics: How the Food Industry Influences Nutrition and Health*. Berkeley, CA: University of California Press; 2002.

Ng BD, Wiemer-Hastings P. Addiction to the internet and online gaming. *Cyberpsychol Behav*. 2005;8(2):110-113.

NHLBI Obesity Education Initiative Expert Panel. *The Practical Guide: Identification, Evaluation and Treatment of Overweight and Obesity in Adults*. Bethesda, MD: National Institutes of Health; 2000.  
[http://www.nhlbi.nih.gov/guidelines/obesity/prctgd\\_c.pdf](http://www.nhlbi.nih.gov/guidelines/obesity/prctgd_c.pdf). Accessed November 15, 2007.

Office of National Drug Abuse Policy. *Leadership Conference on Medical Education in Substance Abuse*. Washington, DC: Office of National Drug Abuse Policy; 2004:37-45.

Paice JA, Toy C, Shott S. Barriers to cancer pain relief: fear of tolerance and addiction. *J Pain Symptom Manage*. 1998;16(1):1-9.

Pampel FC, Rogers RG. Socioeconomic status, smoking, and health: a test of competing theories of cumulative advantage. *J Health Soc Beh*. 2004;45(3):306-321.

Passik SD. Same as it ever was? Life after the OxyContin media frenzy. *J Pain Symptom Manage*. 2003;25(3):199-201.

Passik SD, Kirsh KL. King of pain: what Elvis' death tells us about media coverage of celebrities and the pain/addiction interface. *J Opioid Manag*. 2007;3(2):69-70.

Passik SD, Kirsh KL, Portenoy RK. Pain & addictive disease. In: Von Roenn JH, Paice JA, Preodor ME, eds. *Current Diagnosis & Treatment of Pain*. 1st ed. New York, NY: McGraw-Hill; 2006:78-84.

Passik SD, Kirsh KL, Whitcomb L, et al. Monitoring outcomes during long-term opioid therapy for non-cancer pain: results with the Pain Assessment and Documentation Tool. *J Opioid Manag*. 2005;1(5):257-266.

Passik SD, Kirsh KL, Whitcomb L, et al. A new tool to assess and document pain outcomes in chronic pain patients receiving opioid therapy. *Clin Therap*. 2004;26(4):552-561.

Passik SD, Weinreb HJ. Managing chronic nonmalignant pain: overcoming obstacles to the use of opioids. *Adv Ther*. 2000;17(2):70-83.

Phelan JC, Link BG, Diez-Roux A, Kawachi I, Levin B. "Fundamental causes" of social inequality in mortality: a test of the theory. *J Health Soc Beh*. 2004;45(3):265-285.

Plantinga C Jr. *Not the Way It's Supposed to Be: A Breviary of Sin*. Grand Rapids, MI: Wm. B. Eerdmans; 1995:13.

Portenoy RK. Opioid therapy for chronic nonmalignant pain: a review of critical issues. *J Pain Symptom Manage*. 1996;11(4):203-217.

Portenoy RK. Opioid therapy for chronic nonmalignant pain: clinician's perspective. *J Law Med Ethics*. 1996;24(4):296-309.

Porter J, Jick H. Addiction rare in patients treated with narcotics. *N Engl J Med*. 1980;302(2):123.

Prohibiting discrimination against participants and beneficiaries based on a health factor. 45 CFR 146.121(b)(1)(i).

Prohibiting discrimination against participants and beneficiaries based on a health factor: Application for benefits. 45 CFR 146.121(b)(2)(ii), (f).

Prohibiting discrimination against participants and beneficiaries based on a health factor: Wellness programs. 45 CFR 146.121(f)(2)(iv) and (v).

Puhl R, Brownell KD. Bias, discrimination, and obesity. *Obes Res*. 2001;9(12):788-805.

Racine AD, Joyce TJ, Anderson R. The association between prenatal care and birth weight among women exposed to cocaine in New York City. *JAMA*. 1994;271(15):1161-1162.

Radbruch L, Sabatowski R, Elsner F, Loick G, Kohlen N. Patients' associations with regard to analgesic drugs and their forms for application—a pilot study. *Support Care Cancer*. 2002;10(6):480-485.

Roberts DF, Foehru G, Rideout V. *Generation M: Media in the Lives of 8-18 Year-olds*. Washington, DC: Henry J. Kaiser Family Foundation; 2005.  
<http://www.kff.org/entmedia/upload/Generation-M-Media-in-the-Lives-of-8-18-Year-olds-Report.pdf>. Accessed November 15, 2007.

Rosen J. The brain on the stand. *New York Times*. March 11, 2007.  
<http://www.nytimes.com/2007/03/11/magazine/11Neurolaw.t.html?pagewanted=1&ei=5070&en=1e6478172091cfdd&ex=1175918400>. Accessed November 20, 2007.

Ross CA, Pam A. *Pseudoscience in Biological Psychiatry: Blaming the Body*. New York, NY: John Wiley & Sons; 1995.

Rossy LA, Buckelew SP, Dorr N, et al. A meta-analysis of fibromyalgia treatment interventions. *Ann Behav Med*. 1999;21(2):180-191.

Rubin R. In Tim Ryan's family, he is the addict. *USA Today*. July 20, 2006.  
<http://www.buffalo.edu/news/pdf/July06/USATodayLeonardAddiction.pdf>. Accessed November 27, 2007.

Russell IJ, Orr MD, Littman B, et al. Elevated cerebrospinal fluid levels of substance P in patients with the fibromyalgia syndrome. *Arthritis Rheum.* 1994;37(11):1593-1601.

St. Augustine. *Confessions*. Chadwick H, trans-ed. Oxford: Oxford University Press; 1998:1,1,1.

Scarry E. *The Body in Pain*. Oxford University Press: New York, NY; 1985:13.

Seay AF, Kraut RE. Project Massive: Self-regulation and problematic use of online gaming. In press. *CHI 2007 Proceedings: Proceedings of the ACM conference on human factors in computing systems*.  
<http://www.cs.cmu.edu/~kraut/RKraut.site.files/articles/seay07-GamePlay%26PsychologicalWellbeing.pdf>. Accessed December 12, 2007.

Stahmer SA, Shofer FS, Marino A, Shepherd S, Abbuhl S. Do quantitative changes in pain intensity correlate with pain relief and satisfaction? *Acad Emerg Med.* 1998;5(9):851-857.

Stinson FS, Grant BF, Dawson DA, Ruan WJ, Juang B, Saha T (2005). Comorbidity between DSM-IV alcohol and specific drug use disorders in the United States: results from the National Epidemiologic Survey on Alcohol and Related Conditions. *Drug Alcohol Depend.* 2005;80(1):105-116.

Substance Abuse and Mental Health Services Administration. *The NSDUH Report: The Nonmedical Use of Prescription Pain Relievers*. May 21, 2004.<http://www.oas.samhsa.gov/>. Accessed November 24, 2007.

Todd KH. Clinical versus statistical significance in the assessment of pain relief. *Ann Emerg Med.* 1996;27(4):439-441.

Todd KH. Patient-oriented outcome measures: the promise of definition. *Ann Emerg Med.* 2001;38(6):672-674.

Todd KH, Deaton C, D'Adamo AP, Goe L. Ethnicity and analgesia practice. *Ann Emerg Med.* 2000;35(1):11-16.

Todd KH, Samaroo N, Hoffman JR. Ethnicity as a risk factor for inadequate emergency department analgesia. *JAMA.* 1993;269(12):1537-1539.

Tofferi JK, Jackson JL, O'Malley PG. Treatment of fibromyalgia with cyclobenzaprine: A meta-analysis. *Arthritis Rheum.* 2004;51(1):9-13.

Tracy K. *Elvis Presley: A Biography*. Westport, CT: Greenwood Press; 2006.

Tversky A, Kahneman D. Judgment under uncertainty: heuristics and biases. *Science*. 1974;185(4157):1124-1131.

Vallerand AH. Street addicts and patients with pain: similarities and differences. *Clin Nurse Special*. 1994;8(1):11-15.

Wallace DJ, Hallegua DS. Fibromyalgia: the gastrointestinal link. *Curr Pain Headache Rep*. 2004;8(5):364-368.

Warner KE. The economics of tobacco: myths and realities. *Tob Control*. 2000;9(1):78-89.

Webster LR, Webster RM. Predicting aberrant behaviors in opioid-treated patients: preliminary validation of the Opioid Risk Tool. *Pain Med*. 2005;6(6):432-442.

Weissman DE, Haddox JD. Opioid pseudoaddiction—an iatrogenic syndrome. *Pain*. 1989;36(3):363-366.

Welch ET. *Addictions: A Banquet in the Grave: Finding Hope in the Power of the Gospel*. Phillipsburg, NJ: P&R Publishing; 2001:32-36.

Wolfe F, Ross K, Anderson J, Russell IJ, Hebert L. The prevalence and characteristics of fibromyalgia in the general population. *Arthritis Rheum*. 1995;38(1):19-28.

Wolfe F, Smythe HA, Yunus MB, et al. The American College of Rheumatology 1990 criteria for the classification of fibromyalgia. Report of the Multicenter Criteria Committee. *Arthritis Rheum*. 1990;33(2):160-172.

Wood PB. A randomized, double-blind, placebo-controlled, parallel-group, multi-center trial comparing the effects of orally administered Xyrem (sodium oxybate) with placebo for the treatment of fibromyalgia [abstract]. *Pain Med*. 2006;7:181.

Wood PB, Patterson JC 2nd, Sunderland JJ, Tainter KH, Glabus MF, Lilien DL. Reduced presynaptic dopamine activity in fibromyalgia syndrome demonstrated with positron emission tomography: a pilot study. *J Pain*. 2007;8(1):51-58.

Wood PB, Schweinhardt P, Jaeger E, et al. Fibromyalgia patients show an abnormal dopamine response to pain. *Eur J Neurosci*. 2007;25(12):3576-3582.

World Health Organization. Dependence syndrome. In: *International Classification of Diseases*. [http://www.who.int/substance\\_abuse/terminology/definition1/en/](http://www.who.int/substance_abuse/terminology/definition1/en/). Accessed December 11, 2007.

Wyatt SA, Vilensky W, Manlandro JJ Jr, Dekker MA 2nd. Medical education in substance abuse: From student to practicing osteopathic physician. *J Am Osteopath Assoc*. 2005;105(6 Suppl 3):S18-25.

Zenk S, Schulz AJ, Israel BA, James SA, Bao S, Wilson ML. Neighborhood racial composition, neighborhood poverty, and the spatial accessibility of supermarkets in metropolitan Detroit. *Am J Public Health*. 2005;95(4):660-667.

Copyright 2008 American Medical Association. All rights reserved.