

## Virtual Mentor

American Medical Association Journal of Ethics  
October 2008, Volume 10, Number 10: 677-684.

### SUGGESTED READINGS AND RESOURCES

Adams MM, Barfield WD. The future of very preterm infants: learning from the past. *JAMA*. 2008;299(12):1477-1478.

Allen MC, Donohue PK, Dusman AE. The limit of viability—neonatal outcome of infants born at 22 to 25 weeks' gestation. *N Engl J Med*. 1993;329(22):1597-1601.

Ambalavanan N, Carlo WA, Bobashev G, et al. Prediction of death for extremely low birth weight neonates. *Pediatrics*. 2005;116(6):1367-1373.

American Academy of Pediatrics Committee on Bioethics: Guidelines on foregoing life-sustaining medical treatment. *Pediatrics*. 1994;93(3):532-536.

American College of Obstetricians and Gynecologists. ACOG Practice Bulletin: Clinical Management Guidelines for Obstetrician-Gynecologists: Number 38, September 2002. Perinatal care at the threshold of viability. *Obstet Gynecol*. 2002;100(3):617-624.

American Medical Association. Opinion 2.037 Medical futility in end-of-life care. *Code of Medical Ethics*. [http://www.ama-assn.org/apps/pf\\_new/pf\\_online?f\\_n=resultLink&doc=policyfiles/HnE/E-2.037.HTM&s\\_t=2.037&catg=AMA/HnE&catg=AMA/BnGnC&catg=AMA/DIR&&nth=1&&st\\_p=0&nth=1&](http://www.ama-assn.org/apps/pf_new/pf_online?f_n=resultLink&doc=policyfiles/HnE/E-2.037.HTM&s_t=2.037&catg=AMA/HnE&catg=AMA/BnGnC&catg=AMA/DIR&&nth=1&&st_p=0&nth=1&). Accessed August 5, 2008.

Ballard DW, Li Y, Evans J, Ballard RA, Ubel PA. Fear of litigation may increase resuscitation of infants born near the limits of viability. *J Pediatr*. 2002;140(6):713-718.

Bartholomew S, Crain J, Dzakpasu S, et al. *Canadian Perinatal Health Report 2003*. [http://www.phac-aspc.gc.ca/publicat/cphr-rspc03/pdf/cphr-rspc03\\_e.pdf](http://www.phac-aspc.gc.ca/publicat/cphr-rspc03/pdf/cphr-rspc03_e.pdf).

Beach MC, Roter D, Rubin H, Frankel R, Levinson W, Ford D. Is physician self-disclosure related to patient evaluation of office visits? *J Gen Intern Med*. 2004;19(9):905-910.

Behrman RE, Butler AS, eds. Committee on Understanding Preterm Birth and Assuring Healthy Outcomes. Board on Health Sciences Policy. *Preterm Birth—Causes, Consequences, and Prevention*. Washington, D.C.: National Academies Press; 2007.

Bopp J, Coleson RE. Child abuse by whom?—parental rights and judicial competency determinations: the Baby K and Baby Terry Cases. *Ohio North Univ Law Review*. 1994;20(4):821-846.

Born too soon and too small in Arizona. March of Dimes Birth Defects Foundation 2008. *PeriStats*. <http://www.marchofdimes.com/Peristats/pdflib/195/04.pdf>.

Boss RD, Hutton N, Sulpar LJ, West AM, Donohue PK. Values parents apply to decision-making regarding delivery room resuscitation for high-risk newborns. *Pediatrics*. 2008;122(3):583-589.

Bottoms SF, Paul RH, Iams JD, et al. Obstetric determinants of neonatal survival: influence of willingness to perform cesarean delivery on survival of extremely low-birth-weight infants. *Am J Obstet Gynecol*. 1997;176(5):960-966.

Brouwer A, Groenendaal F, van Haastert IL, Rademaker K, Hanlo P, de Vries L. Neurodevelopmental outcome of preterm infants with severe intraventricular hemorrhage and therapy for post-hemorrhagic ventricular dilatation. *J Pediatr*. 2008;152(5):648-654.

Carter BS, Stahlman M. Reflections on neonatal intensive care in the U.S.: limited success or success with limits? *J Clin Ethics*. 2001;12(3):215-222.

Catlin A, Carter B. Creation of neonatal end-of-life palliative-care protocol. *J Perinatol*. 2002;22(3):184-195.

Catlin A. Extremely long hospitalizations of newborns in the United States: data, descriptions, dilemmas. *J Perinatol*. 2006;26(12):742-748.

Chervenak FA, McCullough LB. Ethics in obstetrics and gynecology. An overview. *Eur J Obstet Gynecol Reprod Biol*. 1997;75(1):91-94.

Chervenak FA, McCullough LB. The limits of viability. *J Perinat Med*. 1997;25(5):418-420.

Chervenak FA, McCullough LB, Campbell S. Third trimester abortion: is compassion enough? *Br J Obstet Gynaecol*. 1999;106(4):293-296.

Chervenak FA, McCullough LB, Levene MI. An ethically justified, clinically comprehensive approach to peri-viability: gynaecological, obstetric, perinatal, and neonatal dimensions. *J Obstet Gynaecol*. 2007;27(1):3-7.

Costeloe K, Hennessy E, Gibson AT, Marlow N, Wilkerson AR. The EPiCure study: outcomes to discharge from hospital for infants born at the threshold of viability. *Pediatrics*. 2000;106(4):659-671.

Council on Ethical and Judicial Affairs, American Medical Association. Medical futility in end-of-life care. *JAMA*. 1999;281:937-941.

Cutler DM, Rosen AB, Vijan S. The value of medical spending in the United States, 1960-2000. *N Engl J Med*. 2006;355(9):920-927.

Donovan EF, Tyson JE, Ehrenkranz RA, et al. Inaccuracy of Ballard scores before 28 weeks' gestation. National Institute of Child and Human Development Neonatal Research Network. *J Pediatr*. 1999;135(2):147-152.

Fine B. The evolution of nondirectiveness of genetic counseling and implications of the Human Genome Project. *Prescribing Our Future: Ethical Challenges in Genetic Counseling*. Hawthorne, NY: Aldine de Gruyter; 1993.

Fine R, Mayo TW. Resolution of futility by due process: early experience with the Texas Advance Directives Act. *Ann Intern Med*. 2008;138(9):743-746.

Fletcher JC, Isada NB, Pryde PG, Johnson MP, Evans MI. Fetal intracardiac potassium chloride injection to avoid the hopeless resuscitation of an abnormal abortus: II. Ethical issues. *Obstet Gynecol*. 1992;80(2):310-313.

Goldenberg RL, Iams JD, Mercer BM, et al. The preterm prediction study: the value of new vs standard risk factors in predicting early and all spontaneous preterm births. NICHD MFMU Network. *Am J Public Health*. 1998;88(2):233-238.

Gunderman RB, Engle WA. Ethics and the limits of neonatal viability. *Radiology*. 2005;236(2):427-429.

Hack M. Young adult outcomes of very-low-birth-weight children. *Semin Fetal Neonatal Med*. 2006;11(2):127-137.

Hack M, Flannery DJ, Schluchter M, Cartar L, Borawski E, Klein N. Outcomes in young adulthood for very-low-birth-weight infants. *N Engl J Med*. 2002;346(3):149-157.

Hack M, Taylor HG, Drotar D, et al. Chronic conditions, functional limitations, and special health care needs of school-aged children born with extremely low-birth-weight in the 1990s. *JAMA*. 2005;294(3):318-325.

Hintz SR, Kendrick DE, Stoll BJ, et al. Neurodevelopmental and growth outcomes of extremely low birth weight infants after necrotizing enterocolitis. *Pediatrics*. 2005;115(3):696-703.

Hintz SR, Kendrick DE, Vohr BR, et al. Community supports after surviving extremely low-birth-weight, extremely preterm birth: special outpatient services in early childhood. *Arch Pediatr Adolesc Med*. 2008;162(8):748-755.

Janvier A, Barrington KJ, Aziz K, Lantos J. Ethics ain't easy: do we need simple rules for complicated ethical decisions? *Acta Paediatr*. 2008;97(4):402-406.

Janvier A, Bauer KL, Lantos JD. Are newborns morally different from older children? *Theor Med Bioeth*. 2007;28(5):413-425.

Janvier A, Leblanc I, Barrington KJ. The best-interest standard is not applied for neonatal resuscitation decisions. *Pediatrics*. 2008;121(5):963-969.

Kilpatrick SJ, Schlueter MA, Piccuch R, Leonard CH, Rogido M, Sola A. Outcome of infants born at 24-26 weeks' gestation: I. survival and cost. *Obstet & Gynecol*. 1997;90(5):803-808.

Kipnis K. Harm and uncertainty in newborn intensive care. *Theor Med Bioeth*. 2007;28(5):393-412.

Kukla R. Conscientious autonomy: displacing health care decisions. *Hastings Cent Rep*. 2005;35(2):34-44.

Khwaja O, Volpe JJ. Pathogenesis of cerebral white matter injury of prematurity. *Arch Dis Child Fetal Neonatal Ed*. 2008;93(2):F153-F161.

Lang KR, Leuthner SR, Derse AR. Gavel in the nursery: an appellate court shuts out parents and physicians from care decisions. *Ann Health Law*. 2007;16(2):263-290.

Lantos JD. Hooked on neonatology. *Health Aff (Millwood)*. 2001;20(5):236.

Lantos JD, Meadow WL. *Neonatal Bioethics: The Moral Challenges of Medical Innovation*. Baltimore: Johns Hopkins University Press; 2006.

Lemons JA, Bauer CR, Oh W, et al. Very low birth weight outcomes of the National Institute of Child Health and Human Development Neonatal Research Network, January 1995 through December 1996. NICHD Neonatal Research Network. *Pediatrics*. 2001;107(1):E1.

Leuthner SR. Decisions regarding resuscitation of the extremely premature infant and models of best interest. *J Perinatol*. 2001;21(3):193-198.

Leuthner SR, Pierucci R. Experience with neonatal palliative care consultation at the Medical College of Wisconsin-Children's Hospital of Wisconsin. *J Palliat Med*. 2001;4(1):39-47.

Lightfoot L. The ethical lawyer: incompetent decision makers and withdrawal of life-sustaining treatment: a case study. *J Law Med Ethics*. 2005;33(4):851-856.

Lin PW, Stoll BJ. Necrotising enterocolitis. *Lancet*. 2006;368(9543):1271-1283.

Marlow N, Wolke D, Bracewell MA, Samara M; EPICure Study Group. Neurologic and developmental disability at six years of age after extremely preterm birth. *N Engl J Med*. 2005;352(1):9-19.

Maryland Health General Code. 5-611.

McCullough LB. Neonatal ethics at the limits of viability. *Pediatrics*. 2005;116(4):1019-1021.

McDaniel SH, Beckman HB, Morse DS, Silberman J, Seaburn DB, Epstein RN. Physician self-disclosure in primary care visits: enough about you, what about me? *Arch Intern Med*. 2007;167(12):1321-1326.

McGill Reproductive Center. <http://www.mcgillivf.com>. Updated August 15, 2008. Accessed August 10, 2008.

Meadow W, Frain L, Ren Y, Lee G, Soneji S, Lantos J. Serial assessment of mortality in the neonatal intensive care unit by algorithm and intuition: certainty, uncertainty, and informed consent. *Pediatrics*. 2002;109(5):878-886.

Meadow W, Lagatta J, Andrews B, et al. Just, in time: ethical implications of serial predictions of death and morbidity for ventilated premature infants. *Pediatrics*. 2008;121(4):732-740.

Meis PJ, Goldenberg RL, Mercer BM, et al. The preterm prediction study: risk factors for indicated preterm births. Maternal-Fetal Medicine Units Network of the National Institute of Child Health and Human Development. *Am J Obstet Gynecol*. 1998;178(3):562-567.

Meis PJ, Michielutte R, Peters TJ, et al. Factors associated with preterm birth in Cardiff, Wales. II. Indicated and spontaneous preterm birth. *Am J Obstet Gynecol*. 1995;173(2):597-602.

Mercurio MR. Physicians' refusal to resuscitate at borderline gestational age. *J Perinatol*. 2005;25(11):683-684.

Minkoff HL, Berkowitz R. The myth of the precious baby. *Obstet Gynecol*. 2005;106(3):607-609.

Moore P. An end-of-life quandary in need of a statutory response: when patients demand life-sustaining treatment that physicians are unwilling to provide. *Boston College Law Review*. 2007;48(2):433-470.

Moster D, Lie RT, Markestad T. Long-term medical and social consequences of preterm birth. *N Engl J Med*. 2008;359(3):262-273.

Muraskas J, Marshall PA, Tomich P, Meyers TF, Gianopoulos JG, Thomasma DC. Neonatal viability in the 1990s: held hostage by technology. *Camb Q Healthc Ethics*. 1999;8(2):160-172.

Nuffield Council on Bioethics. Dilemmas in current practice: babies born at the borderline of viability. *Critical Care Decisions in Fetal and Neonatal Medicine: Ethical Issues*. 2006;67-87.

Pellegrino ED. Decisions to withdraw life-sustaining treatment: a moral algorithm. *JAMA* 2000;283(8):1065-1067.

Pinborg A, Loft A, Schmidt L, Andersen AN. Attitudes of IVF/ICSI-twin mothers towards twins and single embryo transfer. *Hum Reprod*. 2003;18(3):621-627.

Pinkerton JV, Finnerty JJ, Lombardo PA, Rorty MV, Chapple H, Boyle RJ. Parental rights at the birth of a near-viable infant: conflicting perspectives. *Am J Obstet Gynecol*. 1997;177(2):283-290.

Pope TM. Involuntary passive euthanasia in U.S. courts: reassessing the judicial treatment of medical futility cases. *Marquette Elder's Advisor*. 2008;9(2)248.

President's Commission for the Study of Ethical Problems in Medicine and Biomedical and Behavioral Research (1983). Deciding to forego life-sustaining treatment: ethical, medical, and legal issues in treatment decisions. Washington, D.C.: U.S. Government Printing Office.

Rhoden NK. Treating Baby Doe: the ethics of uncertainty. *Hastings Cent Rep*. 1986;16(4):34-32.

Robertson JA. Extreme prematurity and parental rights after Baby Doe. *Hastings Cent Rep*. 2004;34(4):32-39.

Ross LF. The moral status of the newborn and its implications for medical decision making. *Theor Med Bioeth*. 2007;28(5):349-355.

Saugstad OD. Oxygen and retinopathy of prematurity. *J Perinatol*. 2006;26 (Suppl) 1:S46-50; discussion S63-64.

Singh J, Fanaroff J, Andrews B, et al. Resuscitation in the "gray zone" of viability: determining physician preferences and predicting infant outcomes. *Pediatrics*. 2007;120(3):519-526.

Spelke B, Janvier A, Brown R, Vallerand D, Barrington KJ. The cost of irresponsibility. Platform presentation, clinical bioethics, at: Society for Pediatric Research 2008, Honolulu.

Stoll BJ, Hansen N, Fanaroff AA, et al. Late-onset sepsis in very low birth weight neonates: the experience of the NICHD Neonatal Research Network. *Pediatrics*. 2002;110(2 Pt 1):285-291.

Swamy GK, Ostby T, Skjaerven R. Association of preterm birth with long-term survival, reproduction, and next-generation preterm birth. *JAMA*. 2008;299(12):1429-1436.

Texas Statutes Health & Safety Code—166.046. Procedure if not effectuating a directive or treatment decision.

Tyson JE, Parikh NA, Langer J, Green C, Higgins RD; National Institute for Child Health and Human Development Neonatal Research Network. Intensive care for extreme prematurity—moving beyond gestational age. *N Engl J Med*. 2008;358(16):1672-1681.

Tyson JE, Stoll BJ. Evidence-based ethics and the care and outcome of extremely premature infants. *Clin Perinatol*. 2003;30(2):363-387.

Virginia Code. 54.12990. Medically unnecessary treatment not required; procedure when physician refuses to comply with an advance directive or a designated person's treatment decision; mercy killing or euthanasia prohibited.

Walsh MC, Szeffler S, Davis J, et al. Summary proceedings from the bronchopulmonary dysplasia group. *Pediatrics*. 2006;117(3 Pt 2):S52-S56.

Walsh MC, Wilson-Costello D, Zadell A, Newman N, Fanaroff A. Safety, reliability, and validity of a physiologic definition of bronchopulmonary dysplasia. *J Perinatol*. 2003;23(6):451-456.

Wen SW, Smith G, Yang Q, Walker M. Epidemiology of preterm birth and neonatal outcome. *Semin in Fetal and Neonatal Med*. 2004;9(6):429-435.

Wood NS, Marlow N, Costeloe K, Gibson AT, Wilkinson AR. Neurologic and developmental disability after extremely preterm birth. EPICure Study Group. *N Engl J Med*. 2000;343(6):378-384.

Wylie BJ, Davidson LL, Batra M, Reed SD. Method of delivery and neonatal outcome in very low-birthweight vertex-presenting fetuses. *Am J Obstet Gynecol*. 2008;198(6):640:e1-7; discussion e1-4.

Yellin PB, Fleischman AR. DNR in the DR? *J Perinatology*. 1995;15(3):232-236.

Copyright 2008 American Medical Association. All rights reserved.