

Virtual Mentor

American Medical Association Journal of Ethics
March 2009, Volume 11, Number 3: 262-271.

SUGGESTED READINGS AND RESOURCES

Abigail Alliance for Better Access to Developmental Drugs v von Eschenbach, 445 F.3d 470 (DC Cir. 2006).

The Action to Control Cardiovascular Risk in Diabetes Study Group, Gerstein HC, Miller ME, et al. Effects of intensive glucose lowering in type 2 diabetes. *N Engl J Med*. 2008;358(24):2545-2559.

Adams TD, Gress RE, Smith SC, et al. Long-term mortality after gastric bypass surgery. *N Engl J Med*. 2007;357(8):753-761.

ADVANCE Collaborative Group, Patel A, MacMahon S, et al. Intensive blood glucose control and vascular outcomes in patients with type 2 diabetes. *N Engl J Med*. 2008;358(4):2560-2572.

American Diabetes Association. Standards of medical care in diabetes—2008. *Diabetes Care*. 2008;31(Suppl 1):S12-S54.

American Medical Association. Opinion 10.01. Fundamental elements of the patient-physician relationship. *AMA Code of Medical Ethics*. Chicago, IL: American Medical Association. 2008. http://www.ama-assn.org/ama1/pub/upload/mm/Code_of_Med_Eth/opinion/opinion1001.html. Accessed February 3, 2009.

American Medical Association. Opinion 10.015. The patient-physician relationship. *Code of Medical Ethics*. Chicago, IL: American Medical Association. 2008. http://www.ama-assn.org/ama1/pub/upload/mm/Code_of_Med_Eth/opinion/opinion10015.html. Accessed February 3, 2009.

American Medical Association. Opinion 10.02. Patient responsibilities. *AMA Code of Medical Ethics*. Chicago, IL: American Medical Association; 2008. http://www.ama-assn.org/ama1/pub/upload/mm/Code_of_Med_Eth/opinion/opinion1002.html. Accessed February 3, 2009.

Auerbach AD, Landefeld CS, Shojania KG. The tension between needing to improve care and knowing how to do it. *N Engl J Med*. 2007;357(6):608-613.

Baker R, Mainous AG 3rd, Gray DP, Love MM. Exploration of the relationship between continuity, trust in regular doctors and patient satisfaction with consultations with family doctors. *Scand J Prim Health Care*. 2003;21(1):27-32.

Bell RA, Kravitz RL, Thom D, et al. Unsaid but not forgotten: patients' unvoiced desires in office visits. *Arch Intern Med*. 2001;161(16):1977-1984.

Berlin I. Two concepts of liberty. In: Berlin I. *Four Essays on Liberty*. London, UK: Oxford University Press; 2002.

Berry LL, Parish JT, Ogburn-Russell L, et al. Patients' commitment to their primary physician and why it matters. *Ann Fam Med*. 2008;6(1):6-13.

Betancourt JR. Cultural competence—marginal or mainstream movement? *N Engl J Med*. 2004;351(10):953-955.

Blank FS, Li H, Henneman PL, et al. A descriptive study of heavy emergency department users at an academic emergency department reveals heavy ED users have better access to care than average users. *J Emerg Nurs*. 2005;31(2):139-144.

Braunholtz DA, Edwards SJ, Lilford RJ. Are randomized clinical trials good for us (in the short term)? Evidence for a "trial effect." *J Clin Epidemiol*. 2001;54(3):217-224.

Brody HA. *The Future of Bioethics*. New York, NY: Oxford University Press; 2009.

Byrne M, Murphy AW, Plunkett PK, McGee HM, Murray A, Bury G. Frequent attenders to an emergency department: a study of primary health care use, medical profile, and psychosocial characteristics. *Ann Emerg Med*. 2003;41(3):309-318.

Campbell RJ, Nolfi DA. Teaching elderly adults to use the internet to access health care information: before-after study. *J Med Internet Res*. 2005;7(2):e19.

Committee on Bioethics, Academy of Pediatrics. Informed consent, parental permission, and assent in pediatric practice. *Pediatrics*. 1995;95(2):314-317.

Cooper-Patrick L, Gallo JJ, Gonzales JJ, et al. Race, gender, and partnership in the patient-physician relationship. *JAMA*. 1999;282(6):583-589.

Daugherty C, Ratain MJ, Grochowski E, et al. Perceptions of cancer patients and their physicians involved in phase I trials. *J Clin Oncol*. 1995;13(5):1062-1072.

Demmer C. Relationship with health care provider and adherence to HIV medications. *Psychol Rep*. 2003;93(2):494-496.

Dent AW, Phillips GA, Chenhall AJ, McGregor LR. The heaviest repeat users of an inner city emergency department are not general practice patients. *Emerg Med (Fremantle)*. 2003;15(4):322-329.

The Diabetes Control and Complications Trial Research Group. The effect of intensive treatment of diabetes on the development and progression of long-term complications in insulin-dependent diabetes mellitus. *N Engl J Med*. 1993;329(14):977-986.

Diabetes Prevention Program Research Group. Within-trial cost-effectiveness of lifestyle intervention or metformin for the primary prevention of type 2 diabetes. *Diabetes Care*. 2003;26(9):2518-2523.

DiMatteo MR, Giordani PJ, Lepper HS, Croghan TW. Patient adherence and medical treatment outcomes: a meta-analysis. *Med Care*. 2002;40(9):794-811.

DiMatteo MR, Sherbourne CD, Hays RD, et al. Physicians' characteristics influence patients' adherence to medical treatment: results from the Medical Outcomes Study. *Health Psychology*. 1993;12(2):93-102.

DiPiro JT, Talbert RL, Yee GC, Matzke GR, Wells BG, Posey LM. *Pharmacotherapy: A Pathophysiologic Approach*. 7th ed. New York, NY: McGraw-Hill Medical Division; 2008.

Donaldson MS, Yordy KD, Lohr KN, Vanselow NA, eds. *Primary Care: America's Health in a New Era*. Washington, DC: National Academy Press; 1996.

Dormandy JA, Charbonnel B, Eckland DJ, et al. Secondary prevention of macrovascular events in patients with type 2 diabetes in the PROactive Study (PROspective pioglitAzone Clinical Trial In macroVascular Events): a randomised controlled trial. *Lancet*. 2005;366(9493):1279-1289.

Emanuel EJ, Emanuel LL. Four models of the physician-patient relationship. *JAMA*. 1992;267(16):2221-2226.

Emanuel EJ, Fairclough DL, Wolfe P, Emanuel LL. Talking with terminally ill patients and their caregivers about death, dying, and bereavement: is it stressful? Is it helpful? *Arch Intern Med*. 2004;164(18):1999-2004.

Epstein RM, Alper BS, Quill TE. Communicating evidence for participatory decision making. *JAMA*. 2004;291(19):2359-2366.

Estlin EJ, Cotterill S, Pratt CB, Pearson AD, Bernstein M. Phase I trials in pediatric oncology: perceptions of pediatricians from the United Kingdom Children's Cancer Study Group and the Pediatric Oncology Group. *J Clin Oncol*. 2000;18(9):1900-1905.

Falker ES. The medical malpractice in obstetrics: a gestalt approach to reform. *Cardozo Women's Law Journal*. 1997;4:1-32.

Ferguson T. Online patient-helpers and physicians working together: a new partnership for high quality health care. *BMJ*. 2000;321(7269):1129-1132.

Fiscella K, Meldrum S, Franks P, et al. Patient trust: is it related to patient-centered behavior of primary care physicians? *Med Care*. 2004;42(11):1049-1055.

Fox S. Online health search 2006. *Pew Internet & American Life Project*. http://www.pewinternet.org/pdfs/PIP_Online_Health_2006.pdf. Accessed January 30, 2009.

Fredericks M, Odiet JA, Miller SI, Fredericks J. Toward a conceptual reexamination of the patient-physician relationship in the healthcare institution for the new millennium. *J Natl Med Assoc*. 2006;98(3):378-385.

Freire P. *Pedagogy of the Oppressed*. 20th anniversary ed. New York, NY: Continuum; 1993.

Fulde GW, Duffy M. Emergency department frequent flyers: unnecessary load or a lifeline? *Med J Aust*. 2006;184(12):595.

Glannon W. Phase I oncology trials: why the therapeutic misconception will not go away. *J Med Ethics*. 2006;32(5):252-255.

Groves JE. Taking care of the hateful patient. *N Engl J Med*. 1978;298(16):883-887.

Henderson G, Churchill LR, Davis AM, et al. Clinical trials and medical care: defining the therapeutic misconception. *PLoS Med*. 2007;4(11):e324.

Hickson GB, Clayton EW, Entman SS, et al. Obstetricians' prior malpractice experience and patients' satisfaction with care. *JAMA*. 1994;272(20):1583-1587.

Hickson GB, Jenkins DA. Identifying and addressing communication failures as a means of reducing unnecessary malpractice claims. *NC Med J*. 2007;68(5):362-364.

Holder AR. Physician's abandonment of patient. *American Jurisprudence Proof of Facts*. 2008;3:117.

Hunt KA, Weber EJ, Showstack JA, Colby DC, Callaham ML. Characteristics of frequent users of emergency departments. *Ann Emerg Med*. 2006;48(1):1-8.

Huycke LI, Huycke MM. Characteristics of potential plaintiffs in malpractice litigation. *Ann Intern Med*. 1994;120(9):792-798.

Jayanti RK, Burns AC. The antecedents of preventive health care behavior: an empirical study. *J Acad Mark Sci*. 1998;26(1):6-15.

Jemal A, Siegel R, Ward E, et al. Cancer statistics, 2008. *CA Cancer J Clin*. 2008;58(2):71-96.

Kennedy D, Ardagh M. Frequent attenders at Christchurch Hospital's Emergency Department: a 4-year study of attendance patterns. *N Z Med J*. 2004;117(1193):U871.

Kimmelman J, Palmour N. Therapeutic optimism in the consent forms of phase 1 gene transfer trials: an empirical analysis. *J Med Ethics*. 2005;31(4):209-214.

Kleinman A. *The Illness Narratives: Suffering, Healing, and the Human Condition*. New York, NY: Basic Books; 1988.

Kne T, Young R, Spillane L. Frequent ED users: patterns of use over time. *Am J Emerg Med*. 1998;16(7):648-652.

Knowler WC, Barrett-Conner E, Fowler SE, et al. Reduction in incidence of type 2 diabetes with lifestyle intervention or metformin. *N Engl J Med*. 2002;346(6):393-403.

Kodish E. Pediatric ethics and early-phase childhood cancer research: conflicted goals and the prospect of benefit. *Account Res*. 2003;10(1):17-25.

Krane D. Number of cyberchondriacs—U.S. adults who go online for health information—increases to estimated 117 million. *Healthcare News*. 2005;5(8):1-7. http://www.harrisinteractive.com/news/newsletters/healthnews/HI_HealthCareNews2005Vol5_Iss08.pdf.

Kumagai AK. A conceptual framework for use of illness narratives in medical education. *Acad Med*. 2008;83(7):653-658.

Kumagai AK, Murphy EA, Ross PT. *Diabetes Stories: Use of Illness Narratives and "Empathic Memory" to Foster Patient-Centered Care*. *Advances in Health Sciences Education*. In press.

Kumagai AK, White CB, Ross PT, Perlman RL, Fantone JC. Impact of facilitation of small group discussions of psychosocial topics in medicine on faculty growth and development. *Acad Med*. 2008;83(10):976-981.

Kumagai AK, White CB, Schigelone A. The family centered experience: using patient narratives, student reflections, and discussions to teach about illness and care. *ABSAME J*. 2005;11(2):73-78.

Leikin S. Minors' assent, consent, or dissent to medical research. *IRB*. 1993;15(2):1-7.

Levinson W. Physician-patient communication. A key to malpractice prevention. *JAMA*. 1994;272(20):1619-1620.

Levinson W, Gorawara-Bhat R, Lamb J. A study of patient clues and physician responses in primary care and surgical settings. *JAMA*. 2000;284(8):1021-1027.

Louie JP, Bell LM. Appropriate use of antibiotics for common infections in an era of increasing resistance. *Emerg Med Clin North Am*. 2002;20:69-91.

Love MM, Mainous AG 3rd, Talbert JC, Hager GL. Continuity of care and the physician-patient relationship: the importance of continuity for adult patients with asthma. *J Fam Pract*. 2000;49(11):998-1004.

Malone RE. Whither the almshouse? Overutilization and the role of the emergency department. *J Health Polit Policy Law*. 1998;23(5):795-832.

Mandelberg JH, Kuhn RE, Kohn MA. Epidemiologic analysis of an urban, public emergency department's frequent users. *Acad Emerg Med*. 2000;7(6):637-646.

Martin JC, Avant RF, Bowman MA, et al. The future of family medicine: a collaborative project of the family medicine community. *Ann Fam Med*. 2004;(2 Suppl 1):S3-S32.

Mauksch LB, Dugdale DC, Dodson S, Epstein R. Relationship, communication, and efficiency in the medical encounter: creating a clinical model from a literature review. *Arch Intern Med*. 2008;168(13):1387-1395.

Meinert CL, Knatterud GL, Prout TE, Klimt CR. A study of the effect of hypoglycemic agents on vascular complications in patients with adult-onset diabetes. II. Mortality results. *Diabetes*. 1970;19(Suppl):789-830.

Mello MM, Studdert DM, DesRoches CM, et al. Caring for patients in a malpractice crisis: physician satisfaction and quality of care. *Health Affairs*. 2004;23(4):42-53.

Miles SH. Medical futility. *Law Med Health Care*. 1992;20(4):310-315.

Miller FG. The concept of medically indicated treatment. *J Med Philos*. 1993;18(1):91-98.

Miller FG, Rosenstein DL. The therapeutic orientation to clinical trials. *N Engl J Med*. 2003;348(14):1383-1386.

Miller M. Phase I cancer trials: a crucible of competing priorities. *Int Anesthesiol Clin*. 2001;39(3):13-33.

Nathan DM, Buse JB, Davidson MB, et al. Medical management of hyperglycemia in type 2 diabetes: a consensus algorithm for the initiation and adjustment of therapy: a consensus statement of the American Diabetes Association and the European Association for the Study of Diabetes. *Diabetes Care*. 2009;32(1):193-203.

Nathan DM, Cleary PA, Backlund JY, et al. Intensive diabetes treatment and cardiovascular disease in patients with type 1 diabetes. *N Engl J Med*. 2005;353(25):2643-2653.

National Cancer Institute. Childhood cancers: questions and answers. 2008. <http://www.cancer.gov/cancertopics/factsheet/Sites-types/childhood>. Accessed December 30, 2008.

National Cancer Institute. *SEER Cancer Statistic Review, 1973-1999*. Bethesda, Maryland: National Cancer Institute; 2000: 467.

NIH & Clinical Research. How does clinical research work? 2008. <http://clinicalresearch.nih.gov/how.html>. Accessed Jan 15, 2009.

Oberman M, Frader J. Dying children and medical research: access to clinical trials as benefit and burden. *Am J Law Med*. 2003;29(2-3):301-317.

Olsson M, Hansagi H. Repeated use of the emergency department: qualitative study of the patient's perspective. *Emerg Med J*. 2001;18(6):430-434.

Ong LM, de Haes JC, Hoos AM, Lammes FB. Doctor-patient communication: a review of the literature. *Soc Sci Med*. 1995;40(7):903-918.

Peabody FW. Landmark article March 19, 1927: The care of the patient. *JAMA*. 1984;252(6):813-818.

Phillips GA, Brophy DS, Weiland TJ, Chenhall AJ, Dent AW. The effect of multidisciplinary case management on selected outcomes for frequent attenders at an emergency department. *Med J Aust*. 2006;184(12):602-606.

Piette JD, Heisler M, Wagner TH. Cost-related medication underuse: do patients with chronic illnesses tell their doctors? *Arch Intern Med*. 2004;164(16):1749-1755.

Reichard P, Nilsson BY, Rosenqvist U. The effect of long-term intensified insulin treatment on the development of microvascular complications of diabetes mellitus. *N Engl J Med*. 1993;329(5):304-309.

Roberts TG Jr, Goulart BH, Squitieri L, et al. Trends in the risks and benefits to patients with cancer participating in phase 1 clinical trials. *JAMA*. 2004;292(17):2130-2140.

Robinson C, Flowers CW, Alperson BL, Norris KC. Internet access and use among disadvantaged inner-city patients. *JAMA*. 1999;281(11):988-989.

Roethlisberger FH, Dickson WJ. *Management and the Worker: An Account of a Research Program Conducted by the Western Electric Company, Hawthorne Works, Chicago*. Cambridge, MA: Harvard University Press; 1939.

Roter D. The patient-physician relationship and its implications for malpractice litigation. *J Health Care Law Policy*. 2006;9:304-314.

Rubin RR. Adherence to pharmacologic therapy in patients with type 2 diabetes mellitus. *Am J Med*. 2005;118(Suppl 5A):27S-34S.

Ruger JP, Richter CJ, Spitznagel EL, Lewis LM. Analysis of costs, length of stay, and utilization of emergency department services by frequent users: implications for health policy. *Acad Emerg Med*. 2004;11(12):1311-1317.

Sack K. Doctors say “I’m sorry” before “see you in court.” *New York Times*. May 18, 2008.

Safran DG, Taira DA, Rogers WH, Kosinski M, Ware JE, Tarlov AR. Linking primary care performance to outcomes of care. *J Fam Pract*. 1998;47(3):213-220.

Salazar A, Bardes I, Juan A, Olona N, Sabido M, Corbella X. High mortality rates from medical problems of frequent emergency department users at a university hospital tertiary care centre. *Eur J Emerg Med*. 2005;12(1):2-5.

Schaulis MD, Snoey ER. Three years, a thousand visits: a case study of the ultimate frequent flyer. *Ann Emerg Med*. 2001;38(1):87-89.

Singh S, Loke YK, Furberg CD. Long-term risk of cardiovascular events with rosiglitazone: a meta-analysis. *JAMA*. 2007;298(10):1189-1195.

Sontag S. *Illness as Metaphor*. New York, NY: Farrar, Straus and Giroux; 1978:3.

Stanford Encyclopedia of Philosophy. Positive and negative liberty. 2007. <http://plato.stanford.edu/archives/fall2008/entries/liberty-positive-negative>. Accessed February 9, 2009.

Stewart M, Brown JB, Donner A, et al. The impact of patient-centered care on outcomes. *J Fam Pract*. 2000;49(9):796-804.

Stewart M, Brown JB, Weston WW, McWhinney IR, McWilliam C, Freeman TR. *Patient-Centered Medicine: Transforming the Clinical Method*. Thousand Oaks, California: Sage Publications; 1995.

Stone D, Patton B, Heen S. *Difficult Conversations: How To Discuss What Matters Most*. New York, NY: Viking; 1999.

Svetkey LP, Stevens VJ, Brantley PJ, et al. Comparison of strategies for sustaining weight loss: the weight loss/maintenance randomized controlled trial. *JAMA*. 2008;299(10):1139-1148.

Taylor H. Cyberchondriac update. 2002.

http://www.harrisinteractive.com/harris_poll/index.asp?PID=299. Accessed January 30, 2009.

Turner RC, Cull CA, Frighi V, Holman RR. Glycemic control with diet, sulfonylurea, metformin, or insulin in patients with type 2 diabetes mellitus: progressive requirement for multiple therapies (UKPDS 49) UK Prospective Diabetes Study (UKPDS) Group. *JAMA*. 1999;281(21):2005-2012.

UK Prospective Diabetes Study (UKPDS) Group. Effect of intensive blood glucose control with metformin on complication in overweight patients with type 2 diabetes (UKPDS 34). *Lancet*. 1998;352(9131):854-865.

UK Prospective Diabetes Study (UKPDS) Group. Intensive blood-glucose control with sulphonylureas or insulin compared with conventional treatment and risk of complication in patients with type 2 diabetes (UKPDS 33). *Lancet*. 1998;352(9131):837-853.

University of Michigan Medical School family centered experience. 2008. <http://www.med.umich.edu/lrc/fce/index.html>. Accessed February 3, 2009.

van den Berghe G, Wouters P, Weekers F, et al. Intensive insulin therapy in critically ill patients. *N Engl J Med*. 2001;345(19):1359-1367.

Verghese A. Hard cures: doctors themselves could take several steps to reduce malpractice suits. *New York Times*. March 16, 2003.

Viberti G, Kahn SE, Greene DA, et al. A diabetes outcome progression trial (ADOPT): an international multicenter study of the comparative efficacy of rosiglitazone, glyburide, and metformin in recently diagnosed type 2 diabetes. *Diabetes Care*. 2002;25(10):1737-1743.

Wald HS, Dube CE, Anthony DC. Untangling the web—the impact of Internet use on healthcare and the physician-patient relationship. *Patient Edu Couns*. 2007;68(3):218-224.

Weng J, Li Y, Xu W, et al. Effect of intensive insulin therapy on beta-cell function and glycaemic control in patients with newly diagnosed type 2 diabetes: a multicentre randomised parallel-group trial. *Lancet*. 2008;371(9626):1753-1760.

Wennberg JE. Practice variation: implications for our health care system. *Managed Care*. 2004;13(9 Suppl):3-7.

Williams ER, Guthrie E, Mackway-Jones K, et al. Psychiatric status, somatisation, and health care utilization of frequent attenders at the emergency department: a comparison with routine attenders. *J Psychosom Res*. 2001;50(3):161-167.

Zuckerman S, Shen YC. Characteristics of occasional and frequent emergency department users: do insurance coverage and access to care matter? *Med Care*. 2004;42(2):176-182.

Copyright 2009 American Medical Association. All rights reserved.